

**ABC MULTIPURPOSE
PORTABLE
STORED PRESSURE FIRE EXTINGUISHERS**



- **IDEAL USES:** Homes, office buildings, warehouses, farms and woodworking areas.
(NOTE - Not recommended for use on expensive delicate equipment or computers.)
- **MONOAMMONIUM PHOSPHATE** based dry chemical agent capable of fighting Class "A," "B," and "C" type fires.
- This agent provides the widest and most practical range of extinguisher fire protection coverage.
- Manufactured to ANSI/UL 299 and ANSI/UL 711 Standards.

SPECIFICATIONS	100PSI/690 kPa OPERATING PRESSURE				195PSI/1340 kPa OPERATING PRESSURE					
	2.5 ABC	2.5 ABC V/B	4 ABC	4 ABC V/B	5 ABC	5 ABC V/B	10 ABC TALL	10 ABC SHORT	20 ABC	30 ABC
Part No. Alum. Valve	10315	13315	10705	13705	10914	25614	11340	11310	12120	–
Part No. Brass Valve	–	–	–	–	10915	25615	11341	–	12121	12905
Capacity (lbs./kg)	2½ • 1.13	2½ • 1.13	4 • 1.81	4 • 1.81	5 • 2.27	5 • 2.27	10 • 4.54	10 • 4.54	20 • 9.07	30 • 13.60
U.L. Rating	1A:10B:C	1A:10B:C	2A:10B:C	2A:10B:C	3A:40B:C	3A:40B:C	4A:60B:C	4A:60B:C	20A:120B:C	20A:160B:C
Ship Wt. Alum. Valve (lbs./kg)	5¼ • 2.38	5½ • 2.49	6½ • 2.9	6¾ • 3.1	9½ • 4.3	9¾ • 4.4	17¼ • 8.1	17¼ • 8.1	33 • 15.0	–
Ship Wt. Brass Valve (lbs./kg)	–	–	–	–	10.4.5	10¼ • 4.7	18¼ • 8.3	–	33½ • 15.2	52¼ • 23.7
Height (in./cm)	14¾ • 37.5	14¾ • 37.5	16½ • 41.9	16½ • 41.9	16¾ • 41.6	16¾ • 41.6	21 • 53.3	16¾ • 42.5	21½ • 53.8	27½ • 69.4
Width (in./cm)	4¾ • 12.4	4¾ • 12.4	6¼ • 15.9	6¼ • 15.9	7¼ • 18.4	7¼ • 18.4	7½ • 19.7	8¼ • 21.0	8¼ • 22.2	8¼ • 22.2
Diameter (in./cm)	3¾ • 8.6	3¾ • 8.6	3½ • 8.9	3½ • 8.9	4¼ • 10.8	4¼ • 10.8	5½ • 13.0	6 • 15.2	7½ • 19.1	7½ • 19.1
Bracket	Wall	Veh/Mar	Wall	Veh/Mar	Wall	Veh/Mar	Wall	Wall	Wall	Wall
Range (feet/meters)	9-15 • 2.7-4.6	9-15 • 2.7-4.6	9-15 • 2.7-4.6	9-15 • 2.7-4.6	12-18 • 3.7-5.5	12-18 • 3.7-5.5	15-21 • 4.6-6.4	15-21 • 4.6-6.4	15-21 • 4.6-6.4	25-30 • 7.6-9.1
Discharge Times (seconds)	9	9	14	14	14	14	22	18	26	32
Cylinder	Steel	Steel	Aluminum	Aluminum	Steel	Steel	Steel	Steel	Steel	Steel
USCG Approved – Yes	Type B:C Size I				Type A Size II Type B:C Size I		Type A Size II Type B:C Size II		Type A Size II Type B:C Size III	Type A Size II Type B:C Size IV